

WEST

[Help](#)
[Logout](#)
[Interrupt](#)
[Main Menu](#)
[Search Form](#)
[Posting Counts](#)
[Show S Numbers](#)
[Edit S Numbers](#)
[Preferences](#)
[Cases](#)

Search Results -

Terms	Documents
LCD near4 correct\$4 adj3 signal with correct\$4 with luminance	1

Database:

- US Patents Full-Text Database
- US Pre-Grant Publication Full-Text Database
- JPO Abstracts Database
- EPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

[Refine Search](#)
[Recall Text](#)
[Clear](#)

Search History

DATE: Monday, February 10, 2003 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=OR

<u>L8</u>	LCD near4 correct\$4 adj3 signal with correct\$4 with luminance	1	<u>L8</u>
<u>L7</u>	((345/\$3).ccls.) and LCD with correct\$4 with signal with correct\$5 with luminance	7	<u>L7</u>
<u>L6</u>	L5 and frame\$1	7	<u>L6</u>
<u>L5</u>	L2 and gradation with signal	7	<u>L5</u>
<u>L4</u>	L2 and frame with storage with module	0	<u>L4</u>
<u>L3</u>	L2 and gradation	0	<u>L3</u>
<u>L2</u>	((345/\$3).ccls.) and LCD with correct\$4 with signal	60	<u>L2</u>
<u>L1</u>	((345/\$3).ccls.) and LCD with correct\$3 with signal	60	<u>L1</u>

END OF SEARCH HISTORY

WEST[Generate Collection](#)[Print](#)**Search Results - Record(s) 1 through 10 of 24 returned.**☒ 1. Document ID: US 6496170 B1

L44: Entry 1 of 24

File: USPT

Dec 17, 2002

US-PAT-NO: 6496170

DOCUMENT-IDENTIFIER: US 6496170 B1

TITLE: Liquid crystal apparatus

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	-----------	-------

☒ 2. Document ID: US 6476824 B1

L44: Entry 2 of 24

File: USPT

Nov 5, 2002

US-PAT-NO: 6476824

DOCUMENT-IDENTIFIER: US 6476824 B1

TITLE: Luminance resolution enhancement circuit and display apparatus using same

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	-----------	-------

☒ 3. Document ID: US 6459500 B1

L44: Entry 3 of 24

File: USPT

Oct 1, 2002

US-PAT-NO: 6459500

DOCUMENT-IDENTIFIER: US 6459500 B1

TITLE: Image processing apparatus

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	-----------	-------

☐ 4. Document ID: US 6417835 B1

L44: Entry 4 of 24

File: USPT

Jul 9, 2002

US-PAT-NO: 6417835

DOCUMENT-IDENTIFIER: US 6417835 B1

TITLE: Display driving method and apparatus

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	KWC	Draw Desc	Image
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	-----	-----------	-------

☐ 5. Document ID: US 6388678 B1

L44: Entry 5 of 24

File: USPT

May 14, 2002

US-PAT-NO: 6388678

DOCUMENT-IDENTIFIER: US 6388678 B1

TITLE: Plasma display panel drive pulse controller

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

KWIC	Draw Desc	Image
------	-----------	-------

☐ 6. Document ID: US 6335735 B1

L44: Entry 6 of 24

File: USPT

Jan 1, 2002

US-PAT-NO: 6335735

DOCUMENT-IDENTIFIER: US 6335735 B1

TITLE: Dynamic image correction method and dynamic image correction circuit for display device

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

KWIC	Draw Desc	Image
------	-----------	-------

☐ 7. Document ID: US 6266102 B1

L44: Entry 7 of 24

File: USPT

Jul 24, 2001

US-PAT-NO: 6266102

DOCUMENT-IDENTIFIER: US 6266102 B1

TITLE: Image display method, gradation conversion circuit, and image signal conversion apparatus

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

KWIC	Draw Desc	Image
------	-----------	-------

☐ 8. Document ID: US 6175194 B1

L44: Entry 8 of 24

File: USPT

Jan 16, 2001

US-PAT-NO: 6175194

DOCUMENT-IDENTIFIER: US 6175194 B1

TITLE: Method for driving a plasma display panel

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

KWIC	Draw Desc	Image
------	-----------	-------

☐ 9. Document ID: US 6144364 A

L44: Entry 9 of 24

File: USPT

Nov 7, 2000

US-PAT-NO: 6144364

DOCUMENT-IDENTIFIER: US 6144364 A

TITLE: Display driving method and apparatus

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

KWIC	Draw Desc	Image
------	-----------	-------

☐ 10. Document ID: US 6084567 A

L44: Entry 10 of 24

File: USPT

Jul 4, 2000

US-PAT-NO: 6084567

DOCUMENT-IDENTIFIER: US 6084567 A

TITLE: Image displaying method and apparatus

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------

KWIC	Draw Desc	Image
------	-----------	-------

[Generate Collection](#)[Print](#)

Terms	Documents
L43 and correct\$4 with luminance	24

Display Format:

TI

[Change Format](#)[Previous Page](#)[Next Page](#)

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L43 and correct\$4 with luminance	24

Database:

US Patents Full-Text Database	▲
US Pre-Grant Publication Full-Text Database	
JPO Abstracts Database	
EPO Abstracts Database	
Derwent World Patents Index	
IBM Technical Disclosure Bulletins	▼

Search:

L44

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**
DATE: Monday, February 10, 2003 [Printable Copy](#) [Create Case](#)
Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=OR

<u>L44</u>	L43 and correct\$4 with luminance	24	<u>L44</u>
<u>L43</u>	L42 and correction with signal	115	<u>L43</u>
<u>L42</u>	display with gradation with signal	532	<u>L42</u>
<u>L41</u>	L40 and rise with time	2	<u>L41</u>
<u>L40</u>	L38 and phase	5	<u>L40</u>
<u>L39</u>	L38 and gradation with signal	0	<u>L39</u>
<u>L38</u>	6011533	10	<u>L38</u>
<u>L37</u>	L36 and encapsulat\$3	0	<u>L37</u>
<u>L36</u>	L35 and magnet\$5	5	<u>L36</u>
<u>L35</u>	L34 and flexible	8	<u>L35</u>
<u>L34</u>	3825927	14	<u>L34</u>
<u>L33</u>	(3825927).pn.	1	<u>L33</u>

<u>L32</u>	L31 and gradation with signal	2	<u>L32</u>
<u>L31</u>	LCD with frame with memory with module	22	<u>L31</u>
<u>L30</u>	L27 and frame	1	<u>L30</u>
<u>L29</u>	L27 and frame with memory with module	0	<u>L29</u>
<u>L28</u>	L27 and frame with storage with module	0	<u>L28</u>
<u>L27</u>	L26 and correct\$4 with signal with circuit	2	<u>L27</u>
<u>L26</u>	L25 and input with gradation with signal	15	<u>L26</u>
<u>L25</u>	display with gray with scale	2680	<u>L25</u>
<u>L24</u>	L23 and magnetic\$4 with particle	2	<u>L24</u>
<u>L23</u>	L22 and encapsulat\$3	7	<u>L23</u>
<u>L22</u>	L21 and pixels	21	<u>L22</u>
<u>L21</u>	L20 and dielectric	31	<u>L21</u>
<u>L20</u>	((345/\$3).ccls.) and display with flexible with (layer or sheet)	86	<u>L20</u>
<u>L19</u>	((345/111)!.CCLS.) and display with flexible with (layer or sheet)	1	<u>L19</u>
<u>L18</u>	((345/88)!.CCLS.) and display with flexible with (layer or sheet)	0	<u>L18</u>
<u>L17</u>	L15 and particle	0	<u>L17</u>
<u>L16</u>	L15 and encapsulat\$4	0	<u>L16</u>
<u>L15</u>	L12 and magnetic\$5	1	<u>L15</u>
<u>L14</u>	L12 and manetic\$5	0	<u>L14</u>
<u>L13</u>	L12 and manetic\$5 with particle	0	<u>L13</u>
<u>L12</u>	L11 and pixels	3	<u>L12</u>
<u>L11</u>	((345/88)!.CCLS.) and display with flexible	3	<u>L11</u>
<u>L10</u>	((345/88)!.CCLS.) and display with pixel with flexible	0	<u>L10</u>
<u>L9</u>	((345/88)!.CCLS.) and display with pixel with flexiblec	0	<u>L9</u>
<u>L8</u>	LCD near4 correct\$4 adj3 signal with correct\$4 with luminance	1	<u>L8</u>
<u>L7</u>	((345/\$3).ccls.) and LCD with correct\$4 with signal with correct\$5 with luminance	7	<u>L7</u>
<u>L6</u>	L5 and frame\$1	7	<u>L6</u>
<u>L5</u>	L2 and gradation with signal	7	<u>L5</u>
<u>L4</u>	L2 and frame with storage with module	0	<u>L4</u>
<u>L3</u>	L2 and gradiation	0	<u>L3</u>
<u>L2</u>	((345/\$3).ccls.) and LCD with correct\$4 with signal	60	<u>L2</u>
<u>L1</u>	((345/\$3).ccls.) and LCD with correct\$3 with signal	60	<u>L1</u>

END OF SEARCH HISTORY